

**1879 Series**  
*intelligent™* Electronic Gooseneck Faucet



**Product Description**

- Solid brass electronic faucet
- Designer Series, gooseneck spout
- Computer based micro controller w/specially designed infra red sensors to detect within a required distance
- Auto shut-off - 1 minute
- Modular design to accept optional equipment
- e/w plug-in adapter 120/24vac

**Features**

- Sealed waterproof electronics
- Vandal Proof / Tamper cycle
- Remote control re-programmable
- Smooth flow non-splash laminar nozzle

**Certification**

IAPMO cUPC  
ADA / ANSI Compliant


**Model Choice :**

- 1879
- 1879M
- 1879-4 or-8
- 1879-4M or-8M
- 1879-4M2 or-8M2
- 1879-4M3 or-8M3
- M = MP1 mechanical mixer
- 4 = 4" deck plate
- 8 = 8" deck plate

**Options**

- 04- 153 Nozzle, 0.5 gpm
- MP4 Mixer 1/2"
- MP6 Mixer 3/8"


note; see mixer section for add info.



# 1879 Series

## intelligent™ Electronic Gooseneck Faucet

### TECHNICAL SPECIFICATIONS



# 1879 Series

## intelligent™ Electronic Gooseneck Faucet PARTS LIST

#	Description	Part Number
4	4" plate assembly	01-049
5	Nut, Washer & Wire washer	01-088
6	Pipe assembly, taper base	01-019
7	Magnetic valve 24Vac	04-025
8	Flexible hose 18" 1/2" x1/2"	04-058
9	"Y" Filter	01-027
10	Mechanical mixer	AQN-MP1
11	Plug in adapter 120/24Vac	04-059
12	Electronic Module	AQN-1879-2
13	Wedge block	02-070
14	Mounting block with screw	01-089
25	Solid brass body c.p.	02-143 x
26	Laminar nozzle	04-132
27	Spout assy. GN c.p.	01-113
28	Gasket, body	02-144 x

